



Companion Guide

Health Care Claim Payment/Advice

835 Companion Guide

**Refers to the ASC X12N 835
Technical Report Type 3 Guide
(Version 005010X221A1)**

April 2020

Disclosure Statement

It is the sole responsibility of the provider/vendor to initiate all transactions.

Health plans are dynamic; the data included in these transactions is deemed true and accurate only at the particular time of the transaction. Any questions regarding the data should be directed to the Security Health Plan Provider Relations department for claims and/or remittance data.

Preface

This Companion Guide to the v5010 ASC X12N Implementation Guides and associated errata adopted under HIPAA clarifies and specifies the data content when exchanging electronically with Security Health Plan. Transmissions based on this companion guide, used in tandem with the v5010 ASC X12N Implementation Guides, are compliant with both ASC X12 syntax and those guides. This Companion Guide is intended to convey information that is within the framework of the ASC X12N Implementation Guides adopted for use under HIPAA. The Companion Guide is not intended to convey information that in any way exceeds the requirements or usages of data expressed in the Implementation Guides.

Editor's Note:

This page is blank because major sections of a book should begin on a right hand page.

Table of Contents

1 INTRODUCTION 6
Scope..... 6
Overview 6
References 6
Additional Information 6

2 GETTING STARTED..... 6
Working with Security Health Plan 6
Trading Partner Registration 6
Certification and Testing Overview..... 6

3 TESTING WITH THE PAYER 6

4 CONNECTIVITY WITH THE PAYER/COMMUNICATIONS 7
Process Flows 7
Transmission Administrative Procedures 7
Re-Transmission Procedure 7
Communication Protocol Specifications 7
Passwords..... 8

5 CONTACT INFORMATION 8
EDI Customer Service..... 8
EDI Technical Assistance 8
Provider Service Number 8
Applicable Websites/E-Mail 8

6 CONTROL SEGMENTS/ENVELOPES 9
ISA-IEA..... 9
GS-GE 10
ST-SE..... 11

7 PAYER SPECIFIC BUSINESS RULES AND LIMITATIONS 12

8 ACKNOWLEDGEMENTS AND/OR REPORTS 12
Report Inventory 12

9 TRADING PARTNER AGREEMENTS 12
Trading Partners 12

10 TRANSACTION SPECIFIC INFORMATION..... 12

APPENDICES 15
Implementation Checklist 15
Business Scenarios 15
Transmission Examples 15
Frequently Asked Questions 15
Change Summary 15

1 INTRODUCTION

Scope

This Companion Guide has been designed to describe to Security Health Plan's trading partners the format and data content of the Health Care Claim Payment/Advice 835 transaction set in the Electronic Data Interchange (EDI) environment. The 835 transaction is used to convey information related to the payment and remittance of claims. The 835 is not intended to be used to make a payment.

Overview

The Council for Affordable and Quality Healthcare (CAQH) created the Committee on Operating Rules for Information Exchange (CORE). This committee established a common set of operating rules for health care systems which allow providers and other health care systems to implement the CORE operating rules.

References

For more information regarding the ASC X12 Standards for Electronic Data Interchange and to purchase copies of the TR3 documents, consult the Washington Publishing Company web site at <http://www.wpc-edi.com/>.

The CORE Phase operating rules are located on the CAQH web site at <http://www.caqh.org>.

Additional Information

Assumes the provider/vendor initiates all transactions.

2 GETTING STARTED

Working with Security Health Plan

Questions related to the 835 transactions should contact Security Health Plan's Provider Relations department at 715-221-9640 or shpprd@securityhealthplan.org.

Trading Partner Registration

All providers who want to receive 835 transactions should contact Security Health Plan's Provider Relations department at 715-221-9640 or shpprd@securityhealthplan.org.

Certification and Testing Overview

Testing with the payer is required. You must contact the payer prior to sending all transactions.

3 TESTING WITH THE PAYER


Prior to exchanging any production transactions with Security Health plan, you must first exchange test transactions by contacting Security Health Plan's Provider Relations department at 715-221-9640 or shpprd@securityhealthplan.org. The Provider Relations department will work with you to ensure that testing has been verified and completed at which time you will be notified that your future transactions will be treated as production.

All test transactions are to be sent in a separate file from normal production transactions. All ASC X12 transactions must use ISA15 (Usage Indicator) to signal whether the data enclosed in the interchange envelope is test or production.

4 CONNECTIVITY WITH THE PAYER/COMMUNICATIONS

Process Flows

This process flow shows a high level overview of trading partner connectivity to Security Health Plan and illustrates the methods used for connectivity.



Transmission Administrative Procedures

To receive an 835, enrolled Security Health Plan trading partners will submit X12N 837 transaction data to Security Health Plan for processing. Security Health Plan validates submission of X12N format(s) and processes the transaction data through the claim adjudication system. The 835 transaction will be generated from finalized claims since the last payment cycle.

Re-Transmission Procedure

Transmission/Production Issues

When file transmission or technical production issues occur, which could require the re-submission of files, please contact Security Health Plan's Provider Relations department at 715-221-9640.

Communication Protocol Specifications

SHP Secure EDI Portal

The SHP Secure EDI Portal allows a trading partner to post and retrieve files. A trading partner must be an authenticated portal user. The trading partner accesses the SHP Secure EDI Portal from a web browser and is prompted for a login and password.

Secure FTP

Secure FTP is an appropriate alternative to the SHP Secure EDI Portal for large volume trading partners. For submitting and retrieving files via Secure FTP, access is available free of charge to trading partners. Secure FTP setup will usually occur during trading partner enrollment.

Secure Web Service

Secure Web Service is available to trading partners via HTTPS. For submitting and retrieving files via Secure Web Service, access is available free of charge to trading partners.

Protocol Family: HTTP
Application Protocol: HTTPS
HTTP Language: HTML
HTTP Method: POST
HTML element for “X12 transaction data”: payload

Passwords

Trading Partner ID

The Trading Partner ID links the trading partner to their transaction data and is the Security Health Plan’s internal key to accessing their trading partner information.

Login Credentials

In order to receive your authorized user login credentials, all trading partners, regardless of submission method, must be enrolled with Security Health Plan and approved as trading partners. Login credentials include names/ids and passwords, that will be required for the submission of transactions to Security Health Plan. A user ID and password will be assigned for the chosen communication method.

5 CONTACT INFORMATION

Please have the following information available when calling Security Health Plan’s Provider Relations department regarding transmission and production issues:

- Trading Partner ID and Name
- Communication Method
- Login Name for Communication Method
- Any transactional data needed for specific issues regarding transactions

EDI Customer Service

The contact information for customer service is as follows:

- 715-221-9640
- shpprd@securityhealthplan.org

EDI Technical Assistance

In the event of technical difficulties please call 715-221-9640 or email shpprd@securityhealthplan.org

Provider Service Number

Security Health Plan’s Provider Relations department should be contacted 715-221-9640 or shpprd@securityhealthplan.org.

Applicable Websites/E-Mail

CAQH CORE - <http://www.caqh.org>

Washington Publishing Company - <http://www.wpc-edi.com>

ASC X12 guides: <http://store.x12.org/store/>

6 CONTROL SEGMENTS/ENVELOPES

ISA-IEA

This section describes the use of the Interchange Control segments, ISA and IEA. These segments mark the beginning and ending of an interchange. The ISA segment has a fixed length and all the elements within this segment must be populated. This segment includes a description of the expected sender and receiver codes and delimiters. The first element delimiter in the ISA segment is an Asterisk (*) which will be used as the delimiter throughout the transaction. The final character in the ISA segment is a Tilde (~) will be used as the delimiter for each segment in the transaction.

| Segment | Element | Name | Code | Definition of Code/Notes |
|---------|---------|--------------------------------------|-------------|--|
| ISA | | Interchange Control Header | | The ISA is a fixed-length record with fixed-length elements. |
| | ISA01 | Authorization Information Qualifier | '00' | No Authorization Information Present |
| | ISA02 | Authorization Information | 10 'spaces' | Authorization Information |
| | ISA03 | Security Information Qualifier | '00' | No Security Information Present |
| | ISA04 | Security Information | 10 'spaces' | Password |
| | ISA05 | Interchange ID Qualifier of Sender | 'ZZ' | Mutually defined |
| | ISA06 | Interchange Sender ID | | Interchange Sender ID is determined during set up by Security Health Plan (Common values are SHP, 391572880, 390452970). |
| | ISA07 | Interchange ID Qualifier of Receiver | 'ZZ' | Mutually Defined |
| | ISA08 | Interchange Receiver ID | | Interchange Receiver ID is determined during set up by Security Health Plan |
| | ISA09 | Interchange Date | YYMMDD | Date of the interchange |
| | ISA10 | Interchange Time | HHMM | Time of the interchange |
| | ISA11 | Repetition Separator | '^' | This is the delimiter used to separate repeated occurrences of a simple data element or a composite data structure |

Security Health Plan 835 Companion Guide

| | | | | |
|-----|-------|--------------------------------------|------------|---|
| | ISA12 | Interchange Control Version Number | '00501' | |
| | ISA13 | Interchange Control Number | | Must be identical to IEA02 |
| | ISA14 | Acknowledgement Requested | '0' | No acknowledgement requested |
| | ISA15 | Usage Indicator | 'P' or 'T' | 'P': Production Data 'T': Test Data |
| | ISA16 | Component Element Separator | | Component element separator is a delimiter and not a data element |
| IEA | | Interchange Control Trailer Segment | | |
| | IEA01 | Number of Included Functional Groups | | Functional Group count |
| | IEA02 | Interchange Control Number | | Identical to ISA13 |

GS-GE

This section describes Security Health Plan's use of the functional group control segments. It includes a description of expected application sender and receiver codes. Also included in this section is a description concerning how Security Health Plan expects functional groups to be sent and how Security Health Plan will send functional groups. These discussions will describe how similar transaction sets will be packaged and Security Health Plan's use of functional group control numbers.

| Segment | Element | Name | Code | Definition of Code/Notes |
|---------|---------|-----------------------------|----------|--|
| GS | | Functional Group Header | | |
| | GS01 | Functional Identifier Code | 'HP' | Health Care Claim Payment/Advice (835) |
| | GS02 | Application Sender's Code | | Sender's Code is determined during set up by Security Health Plan, and is commonly the same value as ISA06 |
| | GS03 | Application Receiver's Code | | Receiver's Code is determined during set up by Security Health Plan, and is commonly the same value as ISA08 |
| | GS04 | Date | CCYYMMDD | Date of functional group creation |
| | GS05 | Time | HHMM | Creation time |

Security Health Plan 835 Companion Guide

| | | | | |
|----|------|--|----------------|--|
| | GS06 | Group Control Number | | Identical to GE02 |
| | GS07 | Responsible Agency Code | 'X' | Accredited Standards Committee X12 |
| | GS08 | Version/Release/Industry Identifier Code | '005010X221A1' | Standards Approved for Publication by ASC X12 Procedures Review Board through October 2003 |
| GE | | Functional Group Trailer | | |
| | GE01 | Number of Transaction Sets Included | | Number of transactions included |
| | GE02 | Group Control Number | | Identical to GS06 |

ST-SE

This section indicates the beginning and the ending of a transaction set and provides the count of the transmitted segments including the beginning (ST) and ending (SE) segments. These segments also provide a Transaction Set Control Number which must be identical in each segment.

| Segment | Element | Name | Code | Definition of Code/Notes |
|---------|---------|--------------------------------|-------|--|
| ST | | Transaction Set Header | | |
| | ST01 | Transaction Set Identifier | '835' | Health Care Claim Payment/Advice |
| | ST02 | Transaction Set Control Number | | Identical to SE02 |
| SE | | Transaction Set Trailer | | |
| | SE01 | Transaction Segment Count | | Total number of segments included in a transaction set including ST and SE segments. |
| | SE02 | Transaction Set Control Number | | Identical to ST02 |

7 PAYER SPECIFIC BUSINESS RULES AND LIMITATIONS

Many of the data elements detailed in this Companion Guide reflect Security Health Plan’s business requirements, but still meet the standard requirements in the ASC X12N Implementation Guide. Inclusion of a “business-required” data field, as defined by this Companion Guide, will aid in the delivery of a positive response from Security Health Plan.

Note on decimal/amount fields: Even though the X12N transaction defines Amount fields as having an 18-byte maximum, there is an additional HIPAA rule that limits all decimal fields to a maximum of 10 characters, including the two implied or reported decimal places. Accordingly, for all decimal or amount fields:

- “123456789012” is not an acceptable amount, because it is greater than 10 bytes.
- “12345678.90” is acceptable because the number of digits is not greater than 10; the decimal point itself is not limited by the rule.
- However, “1234567890” is not acceptable because the X12N engine assumes that a decimal point and succeeding zeroes are implied so that the actual number being communicated is “1234567890.00”, which is greater than 10 bytes.
- The 10-byte limitation applies to all decimal or amount fields, including AMT segments, but also including any other fields that hold amounts or decimals, such as 837 SV207, CAS03, CAS06, CAS09, CAS12, CAS15, CAS18, HI01-5, HI02-5, HCP02 and HCP03, etc.

For all fields not listed in these bullets, follow the guidelines in the ASC X12N Implementation Guides (TR3), available at <http://store.x12.org/store/healthcare-5010-consolidated-guides>

8 ACKNOWLEDGEMENTS AND/OR REPORTS

Report Inventory

A proprietary version can be provided electronically by request.

9 TRADING PARTNER AGREEMENTS

To initiate the evaluation process for potentially becoming a Trading Partner with Security Health Plan, please contact us at 715-221-9640 or shpprd@securityhealthplan.org

In your request, please include the following information:

- Company Name and Address
- Primary and Alternate Contact Information (Email Address and Phone Numbers)

Trading Partners

An EDI Trading Partner is defined as any Security Health Plan customer (provider, billing service, software vendor, etc.) that transmits to, or receives electronic data from Security Health Plan.

10 TRANSACTION SPECIFIC INFORMATION

This section contains data clarifications, including Security Health Plan-specific data requirements. For additional guidance on the use of business rules, please see Section 7.

Header

| Segment | Element | Industry Name | Comments |
|---------|---------|---------------|----------|
|---------|---------|---------------|----------|

Security Health Plan 835 Companion Guide

| Financial Information (BPR) | | | |
|----------------------------------|-------|--------------------------------|---|
| BPR | BPR01 | Transaction Handling Code | 'I' or 'H', based on BPR04 |
| | BPR04 | Payment Method Code | Either 'ACH' or 'CHK' will be sent depending on the payment method. 'NON' will be present for non-payment (no dollars are to be moved). |
| | BPR05 | Payment Format Code | 'CCP' |
| | BPR06 | (DFI) ID Number Qualifier | '01' |
| | BPR07 | (DFI) Identification Number | <SHP's Number> |
| | BPR08 | Account Number Qualifier | 'DA' |
| | BPR09 | Account Number | <SHP's Account Number> |
| | BPR10 | Originating Company Identifier | '1391572880' |
| | BPR12 | DFI ID Number Qualifier | '01' |
| | BPR13 | (DFI) Identification Number | <Routing Number of Receiver or Provider Bank> |
| | BPR14 | Account Number Qualifier | 'DA' |
| | BPR15 | Account Number | <Provider Account Number> |
| Reassociation Trace Number (TRN) | | | |
| TRN | TRN02 | Check or EFT Trace Number | Remittance Advice Number |
| | TRN03 | Originating Company Identifier | '1391572880' |

Loop 1000A - Payer Identification

| Segment | Element | Industry Name | Comments |
|--|---------|--------------------------------|---|
| Payer Identification (N1) | | | |
| N1 | N102 | Payer Name | 'ADVOCARE' 'FAMILY HEALTH CENTER' 'MEDICAID' 'SECURITY HEALTH PLAN' 'TPA' |
| Payer Technical Contact Information (PER) | | | |
| PER | PER02 | Name | 'PROVIDER RELATIONS' |
| | PER03 | Communication Number Qualifier | 'TE' |
| | PER04 | Communication Number | '8005481224' |

Loop 1000B - Payee Identification

| Segment | Element | Industry Name | Comments |
|----------------------------------|---------|---------------|----------|
| Payee Identification (N1) | | | |

Security Health Plan 835 Companion Guide

| | | | |
|--|-------|------------------------------------|--------------|
| N1 | N103 | Identification Code Qualifier | 'FI' 'XX' |
| Payee Additional Identification (REF) | | | |
| REF | REF01 | Reference Identification Qualifier | 'PQ' 'TJ' |

Loop 2100 - Claim Payment Information

| Segment | Element | Industry Name | Comments |
|---|---------|------------------------------------|---|
| Patient Name (NM1) | | | |
| NM1 | NM108 | Identification Code Qualifier | 'MI' |
| | NM109 | Identification Code | Security Health Plan Member ID |
| Insured Name (NM1) | | | |
| NM1 | NM108 | Identification Code Qualifier | 'MI' |
| | NM109 | Identification Code | Security Health Plan Member ID |
| Other Claim Related Identification (REF) | | | |
| REF | REF01 | Reference Identification Qualifier | '1L' '1W' 'F8' 'IG' |
| | REF02 | Reference Identification | For '1L', Security Health Plan's carrier identifier For '1W', Member SSN For 'F8', Security Health Plan's Original Claim Identifier For 'IG', Security Health Plan's policy identifier |
| Claim Supplemental Information (AMT) | | | |
| AMT | AMT01 | Amount Qualifier | 'AU' 'I' |

Loop 2110 - Service Payment Information

| Segment | Element | Industry Name | Comments |
|--|---------|------------------------------------|----------|
| Service Identification (REF) | | | |
| REF | REF01 | Reference Identification Qualifier | 'BB' |
| Service Supplemental Amount (AMT) | | | |
| AMT | AMT01 | Amount Qualifier | 'B6' |

APPENDICES

Implementation Checklist

Security Health Plan does not offer an Implementation Checklist for our Trading Partner EDI services. Security Health Plan assists new Trading Partners with enrollment and testing, but a formal implementation checklist is not necessary.

Business Scenarios

Please contact the Security Health Plan Provider Relations Department to discuss your specific EDI related business needs with Security Health Plan, should they not be covered in this guide or other available Security Health Plan transaction companion guides.

Transmission Examples

Please contact the Security Health Plan Provider Relations Department for any question regarding transmission examples.

Frequently Asked Questions

Q: If enrolled to receive 835 transactions will the paper EOB (Explanation of Benefits) still be mailed to the provider?

A: 835 enrollments will not impact the delivery of the EOB.

Q: Does Security Health Plan provide HRA (Health Reserve Account) or HSA (Health Savings Account) claim payments in the 835 transactions?

A: No. Payments from HRA/HSA accounts are not reported in the 835 transaction.

Q: If a claim is submitted to Security Health Plan on paper and not as an 837 electronic claim, will the claim payment data be reported in the 835?

A: Yes, the source of claim submission does not impact the 835 reporting.

Q: Does enrollment to receive the 835 transaction impact the payment cycle?

A: No, the generation of the 835 transaction will mirror the current payment cycle for the physician or health care professional.

Change Summary

| Date | Section(s) Changed | Change Summary |
|---------------|--------------------|---|
| November 2015 | | Initial version with the CORE template. |
| April 2020 | 1,6,10 | Updated hyperlinks, valid values, and descriptions. |